



FINAL REPORT	
ORAL-SYSTEMIC	
Sample Type:	Saliva
Reported:	2026-02-04T22:08


PATIENT INFO	
Name:	John Doe
DOB:	01/01/1999
Sex:	M

SAMPLE INFO	
Specimen #:	TEST0130202604
Collected:	2026-01-30T22:30
Received:	2026-01-30T16:34

ORDERING PROVIDER	
Name:	John Smith DDS
NPI:	0123456789
Phone:	844-443-6663



All displayed values are in genomic copies x1000/mL except *Fusobacterium nucleatum* which is in genomic copies x10,000/mL.



*The presence of *Streptococcus sanguinis* associated with healthy plaque biofilm. ND = Not Detected UML = Upper Measuring Limit (>9999). Displayed reference ranges are provided for contextual visualization and are not intended to represent diagnostic or treatment thresholds.

Viral levels in saliva do not have established clinical thresholds for distinguishing latent infection, asymptomatic shedding, or active disease. Quantitative values obtained from saliva may not correlate with systemic viral burden, lesion viral load, or clinical disease activity.



FINAL REPORT
ORAL-SYSTEMIC
Sample Type: Saliva
Reported: 2026-02-04T22:08

PATIENT INFO
Name: John Doe
DOB: 01/01/1999
Sex: M

SAMPLE INFO
Specimen #: TEST0130202604
Collected: 2026-01-30T22:30
Received: 2026-01-30T16:34

ORDERING PROVIDER
Name: John Smith DDS
NPI: 0123456789
Phone: 844-443-6663

Understanding Systemic Risk Scores

- This report identifies patient-specific oral pathogens that peer-reviewed studies associate with systemic health risks
- Health risk scores (0–100) reflect relative oral pathogen burden compared to our reference population
- Risk scores are not diagnostic or predictive of disease, but indicate increased risk associated with elevated periodontal pathogens
- Results should be interpreted by a qualified healthcare provider in the context of the patient’s overall clinical and systemic health profile

ORAL HEALTH RISKS



90	Periodontal Disease Risk	Aa Pg Td Tf Pl Cr Fn Fa Ec
64	Implant Disease Risk	Pa Pg Td Tf Pl Cr Fn Fa
68	Caries Risk	Sm Ss

CARDIOVASCULAR HEALTH RISKS



95	Heart Attack Risk	Aa Pg Td Tf Pl Cr Fn Fa Ec
93	Stroke Risk	Aa Pg Td Tf Pl Cr Fn Fa Ca
96	High Blood Pressure Risk	Aa Pg Td Tf Pl Fn

METABOLIC HEALTH RISKS



94	Diabetes Risk	Aa Pg Td Tf
96	Liver Disease Risk	Aa Pg Td Tf Fn V
84	Kidney Disease Risk	Pg Tf Ec

AUTOIMMUNE & NEUROLOGICAL HEALTH RISKS



91	Alzheimer's Disease Risk	Aa Pg Td Tf Fn
0	Rheumatoid Arthritis Risk	Aa Pg
0	Multiple Sclerosis Risk	Pg

PREGNANCY & CANCER HEALTH RISKS



94	Adverse Pregnancy Outcomes	Aa Pg Td Tf Pl Fn Fa
96	Cancer Risk	Aa Pg Tf Fn Fa V
	• Colorectal	
	• Esophageal	
	• Pancreatic	

LIMITATIONS AND INTERPRETIVE CONSIDERATIONS
Quantitative microbial results reported herein are analytically validated laboratory measurements. Oral and systemic health risk scores are informational, interpretive tools derived from these measurements using weighting algorithms informed by peer-reviewed scientific literature describing associations between oral microbial burden and health conditions. The risk scores have not been clinically validated, are not diagnostic, do not predict disease onset, progression, or severity, and must be interpreted by a qualified healthcare provider in the context of the patient’s clinical presentation, medical history, physical examination, and other relevant diagnostic findings.



COMMENTS + ACTIONABLE CLINICAL INSIGHTS

If the results indicate the presence of any high (Aa, Pg, Td, Tf) and/or medium (Cr, Fn, Pi) risk organisms, these organisms are strongly associated with chronic periodontitis, are transmissible and associated with tissue inflammation and invasion.

Bacteria associated with periodontal disease are predominantly gram-negative anaerobic bacteria and may include *A. actinomycetemcomitans*, *F. nucleatum*, *P. gingivalis*, *C. rectus*, *Treponema* species. These anaerobic organisms are often found together in polymicrobial biofilms and dental plaque.

Several of these organisms are known to be associated with systemic diseases such as cardiovascular disease, cancer, diabetes, liver disease and stroke. The American Heart Association as well as copious research suggests an association between periodontal disease and atherosclerosis.

Patients should follow treatment and monitoring recommendations provided by their healthcare provider. In addition to monitoring bacterial burden, repeat testing can afford insight on efficacy of treatment.

REFERENCES

Paul O, Arora P, Mayer M and Chatterjee S (2021) Inflammation in Periodontal Disease: Possible Link to Vascular Disease. *Front. Physiol.* 11:609614. doi: 10.3389/fphys.2020.609614.

Bale BF, Doneen AL, Vigerust DJ. *Postgrad Med J* 2017;93:215–220.

Da Venezia, C.; Hussein, N.; Hernández, M.; Contreras, J.; Morales, A.; Valdés, M.; Rojas, F.; Matamala, L.; Hernández-Ríos, P. Assessment of Cardiovascular Risk in Women with Periodontal Diseases According to C-reactive Protein Levels. *Biomolecules* 2021, 11, 1238.

Yoneda et al. *BMC Gastroenterology* 2012, 12:16 <http://www.biomedcentral.com/1471-230X/12/16>

Porphyromonas gingivalis Alzheimer's disease brains: Evidence for disease causation and treatment with small-molecule inhibitors. *Sci. Adv.* 5, eaau3333(2019). DOI:10.1126/sciadv.aau3333

Need help interpreting results?
<https://providerportal.simplytest.com/guidance/perio/>

